






COLLECTION OF MAKING CEILING LUMINARIES DESIGN HAVE MORE POSSIBILITIES.







Thanks to precise&flexible mechanical connection design, a variety of functional optics and finest finish process, can achieve the effect that can be perfectly integrated in many applications.















① Corrosion-resistant AkzoNobel Powder Finish

Installation.



Toolless for Flexibility

It's for flexibly changing reflector and surface mounted/pendant parts



• Wavelock

Adopt Wavelock technology to interchange the surface mounted parts and pendant parts.




① Flameresistant PC ; ② Permanent magnet



CLICKLOCK

Clicklock setting can fix the lamp in the fixture. It can prevent the lamp from loosening.



NOCK

Nock setting can create comfortable gear noise and friction when the inner ring is rotating.



① Stainless spring


TICKLOCK™




The precise tilt angle can be confirmed through the comfortable clock-ticking sound. It's called Ticklock™ technology.

Multiple Anti-glare Reflectors


The project needs can be easily satisfied as these reflectors are a combination of classic, feasibility and innovation. In addition, finish with painting and electroplate make them more stunning.




R01




R02




R03




R04




R05




R06




R01+B01



R01+B02



S01



S02



Multifunctional Accessories

One more tiny piece sometimes makes a big impact in no doubt.

- 4 X lens filter to control the beam better.


1.5X5.0 oval




1.5X6.0 oval



1.5Xzoom



3Xzoom



- 2 X waterproof glasses to resist moisture.

- 1 X honeycomb to update your visual comfort further.



- 5 X color filter to enrich the design elements.




Reflector Ref.


R03 | R04 | S01

Reflector Ref.

R01+B01 | R01+B01
R01 | R02







Parameter

Single Square

Finish ● ○ Cutout:L78mm*H78mm

S01




IP44

S02



Tilt



Fixed

Installation



Double Square

Finish ● ○ Cut out:L145mm*H78mm




IP44


S01




S02



Tilt



Fixed



Installation



Spring



honeycomb



1.5X5.0 oval



1.5X6.0 oval



1.5Xzoom 3.0Xzoom

3.0Xzoom

Round

Finish ● ○ Cut out: Ø 75mm | Ø 78mm (trimless)



IP44

R01



R02



R03



R04



R05



R06



R01+B01



R01+B02




Tilt



Fixed



Installation



* Surface mounted and pendant version are integrated with light source and driver inside.



ECLIPSE CONSEIL

Siège : +33 (1) 79 30 48 19 - Showroom Paris : +33 (1) 78 95 50 14 - Mob : +33 (6) 87 82 12 04
Siège social : 7 rue Prudent Neel 92500 Rueil-Malmaison - Showroom : 1 rue Dulong 75017 PARIS